

**Michigan Department of
Environment, Great Lakes, and Energy**



CERTIFIES:

**ALS ENVIRONMENTAL
CINCINNATI**

**HAS BEEN EVALUATED AND IS APPROVED FOR THE FOLLOWING
PARAMETERS FOR THE ANALYSIS OF DRINKING WATER:**

CERTIFIED PARAMETERS


Asbestos

**This certification requires maintenance of an acceptable quality assurance program,
use of approved methodology and equipment,
and satisfactory performance on evaluation samples.
This certification does not guarantee validity of data generated.**



April 1, 2022
Expiration Date

April 1, 2021
Effective Date


Laboratory Certification Officer

9929
Laboratory Number



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY

LANSING



LIESL EICHLER CLARK
DIRECTOR

April 12, 2021

Mr. Joseph Ribar
ALS Environmental, Cincinnati
4388 Glendale-Milford Road
Cincinnati, OH 45242-3706

Laboratory No: 9929
Effective Date: 04/01/2021

Dear Mr. Ribar:

SUBJECT: Laboratory Certification

The information prepared and submitted to this office by your laboratory and the New York State Department of Health has been reviewed. Based on this information, the Michigan Department of Environment, Great Lakes, and Energy (EGLE) has certified your laboratory for compliance monitoring under the Safe Drinking Water Act, 1976 PA 399, as amended. Our certification for your laboratory by parameter is as follows:

Inorganic Chemistry


Certified Parameters:

Asbestos (via US EPA Method 100.2)

Our acceptance of results and certification of ALS Environmental – Cincinnati is contingent on your continued certification by the New York State Department of Health. Additionally, your certification is contingent on the submission of acceptable proficiency test sample results from a state approved supplier on a running 12-month basis throughout the certification period. Our certification of your facility will expire on April 1, 2022. Forward any new certificates and the on-site inspection report(s) with the Laboratory's Corrective Action Reply from the New York State Department of Health once you renew your certification. Provided you maintain fully certified status with the New York State Department of Health you will be reissued reciprocal certification for the State of Michigan.

If you have questions regarding this information, please contact me by phone at 517-335-9219 or by email at lundyg@michigan.gov.

Sincerely,



Gregg A. Lundy
Laboratory Certification Officer
Laboratory Services Section
Remediation and Redevelopment Division

GL/lsh

cc: New York State Department of Health